



BONAWATT products, official pricelist 2025

Note: Prices in SEK including VAT.

Integrated Amplifiers (SE)	SRP SEK
-----------------------------------	--------------------

BonaWatt Tamesis KT77 122 600

BonaWatt Vistula (Release 2026) 167 200

Integrated Hybrid Amplifiers

BonaWatt Triton (w/o cards) 139 300

Extension Cards Applicable (max Σ= 2U)				
	model	function	size	
Release 2025 Q4	MBD-1L	DAC lite (PCM)	1U	9 700
	MBD-1S	DAC (PCM + DSD512)	1U	16 800
Release 2025 Q4	MBD-2P	DAC premium (PCM + DSD1024)	2U	30 600
	MBPH-1S	MM Phono	1U	9 700
	MBPH-1P	MM + MC Phono premium	1U	16 600
Release 2025 Q4	MBBL-1S	XLR balanced input	1U	6 900
	MBBR-1S	Bluetooth adapter for MBD-1S/1L	1U	8 300
	MBBR-1P	Bluetooth receiver standalone	1U	9 700
	MBRT-1S	Tuner FM/AM	1U	9 700
	MBLI-1S	Line unbalanced input	1U	6 900

Power Amps	
BonaWatt Pallas	47 300
Preamplifiers	
BonaWatt Fluvius Phono Preamp MM/MC <small>(Release 2025 Q4)</small>	72 400
OEM Options	
BURN-IN ,100 hour, RLC load + hologram sticker	5 600
Additional shipping box, custom wooden	3 500
Additional glass top-plate (glossy/matte finish)	5 900
OEM Upgrade Packages	
Note: MSRP shown for reference only. You are free to set your own retail price for <u>upgrade packages</u> .	
Silver Signature	8 800
<p>Every component in the audio path, both surface-mount (SMD) and through-hole-mount (THT) is carefully hand-soldered using a higher silver-content solder alloy. This upgrade maximizes conductivity by lowering the contact resistance. Though ensures integrity current flow across every connection. The result is improved microdynamics.</p>	Lead time: 4 weeks
Silentium Isolation	9 100
<p>☑ IsoAcoustics absorbers replace standard spike supports - precision-machined damping feet installed ☑ Additional mechanical isolation of chassis metal parts installed to prevent structural ringing Upgrade enhances perceived silence between notes and improves transient articulation in complex musical passages by eliminating distortions caused by vibration-related microphonic events transferred from chassis to tubes that affect low-level detail.</p>	Lead time: 4 weeks
Aurum Signature	10 500
<p>Hand-soldered with aerospace-grade silver-gold alloy for conductivity and perfect bonding to gold-pads. High silver content improves electrical conductivity, while the gold addition stabilizes the microstructure and prevents contact degradation. Improved low-level signal resolution over <i>Silver Signature</i>. Expect enhanced micro-dynamics, cleaner transients, and a more stable, spacious stereo image.</p>	Lead time: 2 weeks

Crystal Purity (recommendation)

24 400

Replaces standard capacitors in the signal path with a selection of premium dielectric and conductor types to significantly elevate sonic transparency and realism.

- ☒ Standard polypropylene MKP capacitors are upgraded to copper foil-based KFPM types.
- ☒ Standard KFPM copper foil capacitors are replaced with KPSR- silver foil capacitors using a dual dielectric structure of paper and polypropylene.
- ☒ Additional silver-mica shunt capacitors hand-mounted at critical nodes in the audio path.

Expect increased resolution, enhanced harmonic complexity with airy, juicy microdetail presentation.

Lead time: 2 weeks

Reference Connection

38 400

Complete overhaul of the amplifier's connectivity and protection elements, optimizing signal transfer and current flow at every junction.

- ☒ WBT 0210 AgMs nextgen RCA connectors
- ☒ WBT 0702.11 pure copper-gold speaker terminals
- ☒ Internal gold-plated fuse replacements (8 pcs)
- ☒ Main fuse upgraded to gold-plated ceramic type

Enhanced contact integrity, lowers the noise floor and preserves fine detail, yielding cleaner micro-dynamics and more stable stereo imaging over time.

Lead time: 3 weeks